MACT CC-Cooling Tower Sample Rule Template

Client Confirmation	
Database Name	
Regulation	MACT CC
Rule Description	40 CFR 63.354
Rule Name	MACT_CC-Cooling_Tower
Developed by	Z CHEN
Modified by	
Approved by	
Date Approved	
Effective Date	
Replacing Existing Rules	

M21 Exemptions		
	Value	Comment
< 300 hrs		
Inaccessible-ElevatedConnector		
Inaccessible-Buried		
Inaccessible-General		
Inaccessible-Obstructed		
Insulation		
Non-VOC		
Unmanned Site		
UTM		
Vacuum		

AVO Exemptions		
	Value	Comment
< 300 hrs		
Inaccessible-ElevatedConnector		
Inaccessible-Buried		
Inaccessible-General		
Inaccessible-Obstructed		
Insulation		
Non-VOC		
Unmanned Site		
UTM		
Vacuum		

OGI Exemptions		
	Value	Comment
< 300 hrs		
Inaccessible-ElevatedConnector		
Inaccessible-Buried		
Inaccessible-General		
Inaccessible-Obstructed		
Insulation		
Non-VOC		
Unmanned Site		
υтм		
Vacuum		

Rule Meetings						
Date	Attendees	ID#				
		1				

Notes & Comments
https://www.ecfr.gov/current/title-40/chapter-l/subchapter-C/part-63/subpart-CC/section-63.654#p-63
https://www.tceq.texas.gov/downloads/compliance/investigations/assistance/samplingappp.pdf
Section 6.1.5 calls for average readings for determining air strippable concentration

Cooling Tower Exemptions			1						
	Value	Comment	1						
300 hrs			1						
naccessible-ElevatedConnector			1						
naccessible-Buried			1						
naccessible-General									
naccessible-Obstructed									
nsulation]						
Non-VOC]						
Unmanned Site									
UTM									
Vacuum									
Cooling Water >35 kPa	Y	40 CFR 63.654(b)(1)							
<5% HAP	Υ	40 CFR 63.654(b)(2)							
	•	•	-						
M21 Frequency]
Гуре	SubType	SubSubType	Physical State	UTM	NDE	cvs	Frequency	Comments	
AVO Frequency									1
		0.10.1-	n				_	6	1
Гуре	SubType	SubSubType	Physical State	UTM	NDE	cvs	Frequency	Comments	
OGI Frequency]
Гуре	SubType	SubSubType	Physical State	UTM	NDE	cvs	Frequency	Comments	
									-
]
Cooling Tower Frequency]
	C. h.T.	C. b C. b T	Dhariaal Chaha		NDE	C) (C	F	C	1
Туре	SubType	SubSubType	Physical State	UTM	NDE	cvs	Frequency	Comments	
							Monthly	40 CFR 63.654(c)(4)(i)	
							Quarterly		If using 3.1 PPM Leak Action Level
							,		
									1
									1
		Į.			!		Į.	Į.	1
M21 Initial Monitoring	Should Exempt comp	onents be scheduled for i	nitial monitoring	2? (Y/N)					1
									1
Туре	SubType	SubSubType	Physical State	UTM	NDE	cvs	Days to Respond	Comments	
									1
									1
	•	-			•		•		-
AVO Initial Monitoring	Should Exempt comp	onents be scheduled for i	nitial monitoring	g? (Y/N)					1
									1
Туре	SubType	SubSubType	Physical State	UTM	NDE	cvs	Days to Respond	Comments	
									1
									1
	•				•				-
OGI Initial Monitoring	Should Exempt comp	onents be scheduled for i	nitial monitoring	g? (Y/N)					
					Nos	61.00	Davis to Davis	Community	1
Туре	SubType	SubSubType	Physical State	UTM	NDE	cvs	Days to Respond	Comments	
<u> </u>]

									-		
ooling Tower Initial Monitoring											
Туре	SubType	SubSubType	Physical State	UTM	NDE	cvs	Days to Respond	Comments			
									_		
21 Delay Monitoring											
Туре	SubType	SubSubType	Physical State	Days	Comments						
1 Leak Rates									1		
Туре	SubType	SubSubType	Physical State	UTM	NDE	cvs	PPM	Comments			
									-		
		l							_		
poling Tower Leak Rates									4		
Туре	SubType	SubSubType	Physical State	UTM	NDE	cvs	PPM	Comments			
								40 CFR 63.654(c)(4)(i) 40 CFR 63.654(c)(4)(ii)	If only monitoring	Quartarly	
							3.1	40 CFK 65.654(C)(4)(II)	In only monitoring	Quarterly	
]		
									_		
1 PPM Response											
Туре	SubType	SubSubType	Physical State	UTM	NDE	cvs	PPM	1 st Att	1 st ReTest	Final Resolution	Comments
GI Response											-
Туре	SubType	SubSubType	Physical State	UTM	NDE	cvs	1 st Att	1 st ReTest	Final Resolution	Comments	
ooling Tower PPM Response			Should the leal	be determi	ned with Aver	age PPM of a	all readings instead o	of the Maximum PPM?		Υ	
Туре	SubType	SubSubType	Physical State	UTM	NDE	cvs	PPM	1 st Att	1 st ReTest	Final Resolution	Comments
							6.2	45	45	45	40 CFR 63.654(d)
							3.1	45	45	45	40 CFR 63.654(d)

Value

Rule Assignment

Property